

17. Tablets

(1) (\pm)-1-(cyclohexyloxycarbonyloxy)ethyl 2-ethoxy-1-[[2'-(1H-tetrazol-5-yl)biphenyl-4-yl]methyl]-1H-benzimidazole-7-carboxylate	4-12 mg	5
(2) hydrochlorothiazide	6.25 mg	
(3) lactose	71.4 mg	
(4) corn starch	20 mg	10
(5) polyethylene glycol	2.6 mg	
(6) hydroxypropyl cellulose	4 mg	
(7) carmellose calcium	5.6 mg	
(8) magnesium stearate	0.4 mg	
one tablet 114.35-122.35 mg		

(1), (2), (3), (4), (5), $\frac{2}{3}$ of (6), $\frac{2}{3}$ of (7) and $\frac{1}{2}$ of (8) were mixed and then granulated. To the granules were added the remainders of (6), (7) and (8), followed by subjecting the mixture to compression molding.

18. Capsules

(1) 2-ethoxy-1-[[2'-(1H-tetrazol-5-yl)biphenyl-4-yl]methyl]-1H-benzimidazole-7-carboxylic acid	2 mg	
(2) hydrochlorothiazide	6.25-25 mg	
(3) lactose	64 mg	
(4) microcrystalline cellulose	70 mg	
(5) magnesium stearate	10 mg	
one capsule 152.25-171 mg		

(1), (2), (3), (4) and $\frac{1}{2}$ of (5) were mixed and then granulated. To the granules was added the remainder of (5), and the whole was filled into a gelatin capsule.

19. Tablets

(1) 2-ethoxy-1-[[2'-(1H-tetrazol-5-yl)biphenyl-4-yl]methyl]-1H-benzimidazole-7-carboxylic acid	2 mg	40
(2) hydrochlorothiazide	6.25-25 mg	
(3) lactose	71.5 mg	
(4) corn starch	20 mg	
(5) polyethylene glycol	2.6 mg	45
(6) hydroxypropyl cellulose	4 mg	
(7) carmellose calcium	5.6 mg	
(8) magnesium stearate	0.4 mg	
one tablet 112.35-131.1 mg		

(1), (2), (3), (4), (5), $\frac{2}{3}$ of (6), $\frac{2}{3}$ of (7) and $\frac{1}{2}$ of (8) were mixed and then granulated. To the granules were added the remainders of (6), (7) and (8), followed by subjecting the mixture to compression molding.

20. Capsules

(1) (\pm)-1-(cyclohexyloxycarbonyloxy)ethyl 2-ethoxy-1-[[2'-(1H-tetrazol-5-yl)biphenyl-4-yl]methyl]-1H-benzimidazole-7-carboxylate	2 mg	60
(2) hydrochlorothiazide	6.25-25 mg	
(3) lactose	64 mg	

-continued

20. Capsules

(4) microcrystalline cellulose	70 mg
(5) magnesium stearate	10 mg
one capsule 152.25-171 mg	

(1), (2), (3), (4) and $\frac{1}{2}$ of (5) were mixed and then granulated. To the granules was added the remainder of (5), and the whole was filled into a gelatin capsule.

21. Tablets

(1) (\pm)-1-(cyclohexyloxycarbonyloxy)ethyl 2-ethoxy-1-[[2'-(1H-tetrazol-5-yl)biphenyl-4-yl]methyl]-1H-benzimidazole-7-carboxylate	2 mg	
(2) hydrochlorothiazide	6.25-25 mg	
(3) lactose	71.4 mg	
(4) corn starch	20 mg	
(5) polyethylene glycol	2.6 mg	
(6) hydroxypropyl cellulose	4 mg	
(7) carmellose calcium	5.6 mg	
(8) magnesium stearate	0.4 mg	
one tablet 112.35-131.1 mg		

(1), (2), (3), (4), (5), $\frac{2}{3}$ of (6), $\frac{2}{3}$ of (7) and $\frac{1}{2}$ of (8) were mixed and then granulated. To the granules were added the remainders of (6), (7) and (8), followed by subjecting the mixture to compression molding.

What is claimed is:

1. A method for the prophylaxis or treatment of angiotensin II-mediated disease in a mammal in need thereof which comprises administering an effective amount of at least one of

(\pm)-1-(cyclohexyloxycarbonyloxy)ethyl 2-ethoxy-1-[[2'-(1H-tetrazol-5-yl)biphenyl-4-yl]methyl]-1H-benzimidazole-7-carboxylate,

2-ethoxy-1-[[2'-(1H-tetrazol-5-yl)biphenyl-4-yl]methyl]-1H-benzimidazole-7-carboxylic acid, or

2-ethoxy-1-[[2'-(2,5-dihydro-5-oxo-1,2,4-oxadiazol-3-yl)biphenyl-4-yl]methyl]-1H-benzimidazole-7-carboxylic acid, or a pharmaceutically acceptable salt thereof, in combination with an effective amount of furosemide.

2. A method according to claim 1, wherein the disease is hypertension, cardiac insufficiency, ischemic peripheral circulation disorders, myocardial ischemia, vein insufficiency, progressive cardiac insufficiency after myocardial infarction, diabetic nephritides, nephritis, arteriosclerosis, hyperaldosteronism, dermatosclerosis, glomerulosclerosis, renal insufficiency, central nervous system diseases, sensory disorders, Alzheimer's disease, deficiency of memory, depression, amnesia, senile dementia, anxiety neurosis, catatonia or indisposition, glaucoma, or intraocular high pressure.

3. A method according to claim 1, wherein the disease is hypertension.

* * * * *